Contents

The Journal of Clinical Investigation
July 1990, Volume 86, Number 1

Perspectives

Pulmonary surfactant and its apoproteins. *S. Hawgood and J. A. Clements* 1

Regular Articles

The role of fibronectin binding in the rat model of experimental endocarditis caused by *Streptococcus sanguis*. *J. H. Lowrance, L. M. Baddour, and W. A. Simpson* 7

Arginine vasopressin gene regulation in the homozygous Brattleboro rat. *J. K. Kim, F. Soubrier, J.-B. Michel, L. Bankir, P. Corvol, and R. W. Schrier* 14

Measurement of growth hormone-releasing hormone and somatostatin in hypothalamic-portal plasma of unanesthetized sheep. Spontaneous secretion and response to insulin-induced hypoglycemia. *L. A. Frohman, T. R. Downs, I. J. Clarke, and G. B. Thomas* 17

Variant Bernard-Soulier syndrome type Bolzano. A congenital bleeding disorder due to a structural and functional abnormality of the platelet glycoprotein Ib-IX complex. *L. De Marco, M. Mazzucato, F. Fabris, D. De Roia, P. Coser, A. Girolami, V. Vicente, and Z. M. Ruggeri* 25

Effect of bath and luminal potassium concentration on ammonia production and secretion by mouse proximal tubules perfused in vitro. *G. T. Nagami* 32

Mapping the gene causing X-linked recessive idiopathic hypoparathyroidism to Xq26–Xq27 by linkage studies. *R. V. Thakker, K. E. Davies, M. P. Whyte, C. Wooding, and J. L. H. O'Riordan* 40

Cyclic adenosine monophosphate and diacylglycerol. Mutually inhibitory second messengers in cultured rat inner medullary collecting duct cells. *I. Teitelbaum* . . . 46

Prostaglandins regulate the synthesis and secretion of the atrial natriuretic peptide. *D. G. Gardner and H. D. Schultz* 52

Hydrogen peroxide stimulates rat colonic prostaglandin production and alters electrolyte transport. *S. S. Karayalcin, C. W. Sturbaum, J. T. Wachsman, J.-H. Cha, and D. W. Powell* 60

Endogenous circulating DNA in systemic lupus erythematosus. Occurrence as multimeric complexes bound to histone. *P. M. Rumore and C. R. Steinman* . . 69

Oxidized low density lipoproteins cause contraction and inhibit endothelium-dependent relaxation in the pig coronary artery. *B. C. Simon, L. D. Cunningham, and R. A. Cohen* 75

Inability of mitogen-activated lymphocytes obtained from patients with malignant primary intracranial tumors to express high affinity interleukin 2 receptors. *L. H. Elliott, W. H. Brooks, and T. L. Roszman* 80

Epithelial basement membrane of mouse jejunum. Evidence for laminin turnover along the entire crypt–villus axis. *J. S. Trier, C. H. Allan, D. R. Abrahamson, and S. J. Hagen* 87

Molecular basis of complement C3 deficiency in guinea pigs. *H. S. Auerbach, R. Burger, A. Dodds, and H. R. Colten* 96

Neonatal plasminogen displays altered cell surface binding and activation kinetics. Correlation with increased glycosylation of the protein. *J. M. Edelberg, J. J. Enghild, S. V. Pizzo, and M. Gonzalez-Gronow* 107

Productive infection of isolated human alveolar macrophages by respiratory syncytial virus. *J. R. Panuska, N. M. Cirino, F. Midulla, J. E. Despot, E. R. McFadden, Jr., and Y. T. Huang* 113

Clonal composition of benign and malignant human thyroid tumors. *H. Namba, K. Matsuo, and J. A. Fagin* 120

Rhizomelic chondrodysplasia punctata. Deficiency of 3-oxoacyl-coenzyme A thiolase in peroxisomes and impaired processing of the enzyme. *J. C. Heikoop, C. W. T. van Roermund, W. W. Just, R. Ofman, R. B. H. Schutgens, H. S. A. Heymans, R. J. A. Wanders, and J. M. Tager* 126

Coexpression of platelet-derived growth factor (PDGF) and PDGF-receptor genes by primary human astrocytomas may contribute to their development and maintenance. *M. Maxwell, S. P. Naber, H. J. Wolfe, T. Galanopoulos, E. T. Hedley-Whyte, P. McL. Black, and H. N. Antoniades* 131

Expression of the potent vasoconstrictor endothelin in the human central nervous system. *M.-E. Lee, S. M. de la Monte, S.-C. Ng, K. D. Bloch, and T. Quertermous* 141

Production of interleukins in human immunodeficiency virus-1–replicating lymph nodes. *D. Emilie, M. Peuchmaur, M. C. Maillot, M. C. Crevon, N. Brousse, J. F. Delfraissy, J. Dormont, and P. Galanaud* 148

Prolonged exposure of rat aorta to low levels of endotoxin in vitro results in impaired contractility. Association with vascular cytokine release. *T. M. McKenna* 160

Renin release and gene expression in intact rat kidney microvessels and single cells. *A. D. Everett, R. M. Carey, R. L. Chevalier, M. J. Peach, and R. A. Gomez* 169

Uptake of extracellular enzyme by a novel pathway is a major determinant of cathepsin L levels in human macrophages. *J. J. Reilly, Jr., P. Chen, L. Z. Sailor, R. W. Mason, and H. A. Chapman, Jr.* 176

The tumor necrosis factor receptor and human neutrophil function. Deactivation and cross-deactivation of tumor necrosis factor–induced neutrophil responses by receptor down-regulation. *B. Schleiffenbaum and J. Fehr* 184

Impaired metabolic function and signaling defects in phagocytic cells in glycogen storage disease type 1b. *L. Kilpatrick, B.-Z. Garty, K. F. Lundquist, K. Hunter, C. A. Stanley, L. Baker, S. D. Douglas, and H. M. Korchak* 196

Urokinase has direct catalytic activity against fibrinogen and renders it less clottable by thrombin. *J. I. Weitz and B. Leslie* 203

Effect of heme arginate administration on blood pressure in spontaneously hypertensive rats. *R. D. Levere, P. Martasek, B. Escalante, M. L. Schwartzman, and N. G. Abraham* 213

The rat hepatocyte plasma membrane organic anion binding protein is immunologically related to the mitochondrial F_1 adenosine triphosphatase β-subunit. *T. Goeser, R. Nakata, L. F. Braly, A. Sosiak, C. G. Campbell, R. Dermietzel, P. M. Novikoff, R. J. Stockert, R. D. Burk, and A. W. Wolkoff* 220

Impaired vasodilation of forearm resistance vessels in hypercholesterolemic humans. *M. A. Creager, J. P. Cooke, M. E. Mendelsohn, S. J. Gallagher, S. M. Coleman, J. Loscalzo, and V. J. Dzau* 228

Structural and kinetic analyses of herpes simplex virus type 1 latency-associated transcripts in human trigeminal ganglia and in cell culture. *P. R. Krause, K. D. Croen, J. M. Ostrove, and S. E. Straus* 235

Maple syrup urine disease. Complete primary structure of the $E_1\beta$ subunit of human branched chain α-ketoacid dehydrogenase complex deduced from the nucleotide sequence and a gene analysis of patients with this disease. *Y. Nobukuni, H. Mitsubuchi, F. Endo, I. Akaboshi, J. Asaka, and I. Matsuda* 242

A neuropathic deficit, decreased sweating, is prevented and ameliorated by euglycemia in streptozocin diabetes in rats. *C. Cardone and P. J. Dyck* 248

Five mutant alleles of the insulin receptor gene in patients with genetic forms of insulin resistance. *T. Kadowaki, H. Kadowaki, M. M. Rechler, M. Serrano-Rios, J. Roth, P. Gorden, and S. I. Taylor* 254

Human growth hormone prevents the protein catabolic side effects of prednisone in humans. *F. F. Horber and M. W. Haymond* 265

Analysis of the role of antibody-dependent cellular cytotoxic antibody activity in murine neonatal herpes simplex virus infection with antibodies to synthetic peptides of glycoprotein D and monoclonal antibodies to glycoprotein B. *S. Kohl, N. C. J. Strynadka, R. S. Hodges, and L. Pereira* 273

The 210-kD nuclear envelope polypeptide recognized by human autoantibodies in primary biliary cirrhosis is the major glycoprotein of the nuclear pore. *J.-C. Courvalin, K. Lassoued, E. Bartnik, G. Blobel, and R. W. Wozniak* 279

Troponin–tropomyosin abnormalities in hamster cardiomyopathy. *A. Malhotra and J. Scheuer* 286

Functional and phenotypic evidence for a selective loss of memory T cells in asymptomatic human immunodeficiency virus–infected men. *C. J. M. van Noesel, R. A. Gruters, F. G. Terpstra, P. Th. A. Schellekens, R. A. W. van Lier, and F. Miedema* 293

Neutrophil elastase cleaves C3bi on opsonized pseudomonas as well as CR1 on neutrophils to create a functionally important opsonin receptor mismatch. *M. F. Tosi, H. Zakem, and M. Berger* 300

Progressive increases in luminal glucose stimulate proximal sodium absorption in normal and diabetic rats. *N. Bank and H. S. Aynedjian* 309

Significant phenylalanine hydroxylation in vivo in patients with classical phenylketonuria. *G. N. Thompson and D. Halliday* 317

Protective action of luminal bile salts in necrotizing acute pancreatitis in mice. *G. Gomez, C. M. Townsend, Jr., D. W. Green, S. Rajaraman, T. Uchida, G. H. Greeley, Jr., R. D. Soloway, and J. C. Thompson* 323

Rapid Publications

A human Ro/SS-A autoantigen is the homologue of calreticulin and is highly homologous with onchocercal RAL-1 antigen and an aplysia "memory molecule." *D. P. McCauliffe, E. Zappi, T.-S. Lieu, M. Michalak, R. D. Sontheimer, and J. D. Capra* 332

Clinically nonfunctioning pituitary tumors are monoclonal in origin. *J. M. Alexander, B. M. K. Biller, H. Bikkal, N. T. Zervas, A. Arnold, and A. Klibanski* 336

An abnormality of the gene that encodes neutrophil Fc receptor III in a patient with systemic lupus erythematosus. *M. R. Clark, L. Liu, S. B. Clarkson, P. A. Ory, and I. M. Goldstein* 341

Molecular basis of argininemia. Identification of two discrete frame-shift deletions in the liver-type arginase gene. *Y. Haraguchi, J. M. Aparicio R., M. Takiguchi, I. Akaboshi, M. Yoshino, M. Mori, and I. Matsuda* . . . 347

A single nucleotide change in the prolidase gene in fibroblasts from two patients with polypeptide positive prolidase deficiency. Expression of the mutant enzyme in NIH 3T3 cells. *A. Tanoue, F. Endo, A. Kitano, and I. Matsuda* 351

Growth stimulation by coexpression of transforming growth factor-α and epidermal growth factor-receptor in normal and adenomatous human colon epithelium. *S. D. Markowitz, K. Molkentin, C. Gerbic, J. Jackson, T. Stellato, and J. K. V. Willson* 356

Identification of intronic point mutations as an alternative mechanism for p53 inactivation in lung cancer. *T. Takahashi, D. D'Amico, I. Chiba, D. L. Buchhagen, and J. D. Minna* 363

Lysis of myotubes by alloreactive cytotoxic T cells and natural killer cells. Relevance to myoblast transplantation. *R. Hohlfeld and A. G. Engel* 370

July Author Index 375

Correction 377

Contents

The Journal of Clinical Investigation
August 1990, Volume 86, Number 2

Perspectives

Plasma high density lipoproteins. Metabolism and relationship to atherogenesis. *A. R. Tall* 379

Regular Articles

Clot-bound thrombin is protected from inhibition by heparin–antithrombin III but is susceptible to inactivation by antithrombin III–independent inhibitors. *J. I. Weitz, M. Hudoba, D. Massel, J. Maraganore, and J. Hirsh* . . 385

HLA antigens in Japanese patients with myasthenia gravis. *K. Matsuki, T. Juji, K. Tokunaga, M. Takamizawa, H. Maeda, M. Soda, Y. Nomura, and M. Segawa* 392

Aspirin potentiates prestimulated acid secretion and mobilizes intracellular calcium in rabbit parietal cells. *R. A. Levine, J. Nandi, and R. L. King* 400

Identification of activated T cell receptor γδ lymphocytes in the liver of tumor-bearing hosts. *S. Seki, T. Abo, T. Masuda, T. Ohteki, A. Kanno, K. Takeda, H. Rikiishi, H. Nagura, and K. Kumagai* 409

Soluble Fcγ receptor III in human plasma originates from release by neutrophils. *T. W. J. Huizinga, M. de Haas, M. Kleijer, J. H. Nuijens, D. Roos, and A. E. G. Kr. von dem Borne* 416

Role of alpha adrenoceptors in opossum internal anal sphincter. *S. Yamato and S. Rattan* 424

Acute metabolic acidosis enhances circulating parathyroid hormone, which contributes to the renal response against acidosis in the rat. *M. Bichara, O. Mercier, P. Borensztein, and M. Paillard* 430

Paradoxical expression of adenosine deaminase in T cells cultured from a patient with adenosine deaminase deficiency and combined immunodeficiency. *F. X. Arredondo-Vega, J. Kurtzberg, S. Chaffee, I. Santisteban, E. Reisner, M. S. Povey, and M. S. Hershfield* 444

Elevated expression of transforming growth factor-β and proteoglycan production in experimental glomerulonephritis. Possible role in expansion of the mesangial extracellular matrix. *S. Okuda, L. R. Languino, E. Ruoslahti, and W. A. Border* 453

Role of lipoprotein lipase in the regulation of high density lipoprotein apolipoprotein metabolism. Studies in normal and lipoprotein lipase–inhibited monkeys. *I. J. Goldberg, W. S. Blaner, T. M. Vanni, M. Moukides, and R. Ramakrishnan* 463

Elevated von Willebrand factor antigen is an early plasma predictor of acute lung injury in nonpulmonary sepsis syndrome. *D. B. Rubin, J. P. Wiener-Kronish, J. F. Murray, D. R. Green, J. Turner, J. M. Luce, A. B. Montgomery, J. D. Marks, and M. A. Matthay* . . . 474

Abnormal cardiac function in the streptozotocin-diabetic rat. Changes in active and passive properties of the left ventricle. *S. E. Litwin, T. E. Raya, P. G. Anderson, S. Daugherty, and S. Goldman* 481

Failure of substrate-induced gluconeogenesis to increase overall glucose appearance in normal humans. Demonstration of hepatic autoregulation without a change in plasma glucose concentration. *T. Jenssen, N. Nurjhan, A. Consoli, and J. E. Gerich* 489

Enhancement of electrogenic Na^+ transport across rat inner medullary collecting duct by glucocorticoid and by mineralocorticoid hormones. *R. F. Husted, J. R. Laplace, and J. B. Stokes* 498

Effects of chronic growth hormone hypersecretion on intrinsic contractility, energetics, isomyosin pattern, and myosin adenosine triphosphatase activity of rat left ventricle. *J. Timsit, B. Riou, J. Bertherat, C. Wisnewsky, N. S. Kato, A. S. Weisberg, J. Lubetzki, Y. Lecarpentier, S. Winegrad, and J.-J. Mercadier* 507

Molecular analysis of insertion/deletion mutations in protein 4.1 in elliptocytosis. I. Biochemical identification of rearrangements in the spectrin/actin binding domain and functional characterizations. *S. L. Marchesi, J. Conboy, P. Agre, J. T. Letsinger, V. T. Marchesi, D. W. Speicher, and N. Mohandas* 516

Molecular analysis of insertion/deletion mutations in protein 4.1 in elliptocytosis. II. Determination of molecular genetic origins of rearrangements. *J. Conboy, S. Marchesi, R. Kim, P. Agre, Y. W. Kan, and N. Mohandas* 524

Proenkephalin system in human polymorphonuclear cells. Production and release of a novel 1.0-kD peptide derived from synenkephalin. *O. Vindrola, M. R. Padrós, A. Sterin-Prync, A. Ase, S. Finkielman, and V. Nahmod* 531

Inhibition of human colony-forming-unit erythroid by tumor necrosis factor requires accessory cells. *R. T. Means, Jr., E. N. Dessypris, and S. B. Krantz* . . . 538

Effects of altered glucose homeostasis on glucose transporter expression in skeletal muscle of the rat. *R. E. Bourey, L. Koranyi, D. E. James, M. Mueckler, and M. A. Permutt* 542

Two elliptocytogenic $\alpha^{I/74}$ variants of the spectrin αI domain. Spectrin Culoz (GGT→GTT; αI 40 Gly→Val) and spectrin Lyon (CTT→TTT; αI 43 Leu→Phe). *L. Morlé, A.-F. Roux, N. Alloisio, B. Pothier, J. Starck, L. Denoroy, F. Morlé, R.-C. Rudigoz, B. G. Forget, J. Delaunay, and J. Godet* 548

Mast cell chymase potentiates histamine-induced wheal formation in the skin of ragweed-allergic dogs. *I. Rubinstein, J. A. Nadel, P. D. Graf, and G. H. Caughey* 555

Insulin-like growth factor-I enhances luteinizing hormone binding to rat ovarian theca-interstitial cells. *J. F. Cara, J. Fan, J. Azzarello, and R. L. Rosenfield* 560

Enhanced prostaglandin synthesis after ultraviolet injury is mediated by endogenous histamine stimulation. A mechanism for irradiation erythema. *A. P. Pentland, M. Mahoney, S. C. Jacobs, and M. J. Holtzman* 566

Evidence for altered epicardial coronary artery autoregulation as a cause of distal coronary vasoconstriction after successful percutaneous transluminal coronary angioplasty. *T. A. Fischell, K. N. Bausback, and T. V. McDonald* 575

Inhibition of Na/H exchange in avian intestine by atrial natriuretic factor. *C. E. Semrad, E. J. Cragoe, Jr., and E. B. Chang* 585

Dysregulated interleukin 6 expression produces a syndrome resembling Castleman's disease in mice. *S. J. Brandt, D. M. Bodine, C. E. Dunbar, and A. W. Nienhuis* 592

Proteinuria, not altered albumin metabolism, affects hyperlipidemia in the nephrotic rat. *R. W. Davies, I. Staprans, F. N. Hutchison, and G. A. Kaysen* 600

HLA-DQ gene complementation and other histocompatibility relationships in man with the anti-Ro/SSA autoantibody response of systemic lupus erythematosus. *A. Fujisaku, M. B. Frank, B. Neas, M. Reichlin, and J. B. Harley* 606

Simultaneous synthesis and degradation of rat liver glycogen. An in vivo nuclear magnetic resonance spectroscopic study. *M. David, W. A. Petit, M. R. Laughlin, R. G. Shulman, J. E. King, and E. J. Barrett* 612

Evidence for a switching mechanism in the invasion of erythrocytes by *Plasmodium falciparum*. *S. A. Dolan, L. H. Miller, and T. E. Wellems* 618

Mechanism of decreased baroreceptor activity in chronic hypertensive rabbits. Role of endogenous prostanoids. *P. Xie, M. W. Chapleau, T. S. McDowell, G. Hajduczok, and F. M. Abboud* 625

Separation of sublethal and lethal effects of polymorphonuclear leukocytes on *Escherichia coli*. *B. A. Mannion, J. Weiss, and P. Elsbach* 631

Effect of a high-carbohydrate, low-saturated-fat diet on apolipoprotein B and triglyceride metabolism in Pima Indians. *W. G. H. Abbott, B. Swinburn, G. Ruotolo, H. Hara, L. Patti, I. Harper, S. M. Grundy, and B. V. Howard* 642

Pharmacodynamic study of $F(ab')_2$ fragments of murine monoclonal antibody 7E3 directed against human platelet glycoprotein IIb/IIIa in patients with unstable angina pectoris. *H. K. Gold, L. W. Gimple, T. Yasuda, R. C. Leinbach, W. Werner, R. Holt, R. Jordan, H. Berger, D. Collen, and B. S. Coller* 651

Rapid Publications

Expression and localization of gastrin messenger RNA and peptide in spermatogenic cells. *M. Schalling, H. Persson, M. Pelto-Huikko, L. Ödum, P. Ekman, C. Gottlieb, T. Hökfelt, and J. F. Rehfeld* 660

Oxygen tension regulates the expression of the platelet-derived growth factor-B chain gene in human endothelial cells. *S. Kourembanas, R. L. Hannan, and D. V. Faller* 670

Uniparental isodisomy 6 associated with deficiency of the fourth component of complement. *T. R. Welch, L. S. Beischel, E. Choi, K. Balakrishnan, and N. A. Bishof* 675

August Author Index 679

Contents

The Journal of Clinical Investigation
September 1990, Volume 86, Number 3

Erythropoietin receptor. Subunit structure and activation. *A. D. D'Andrea and L. I. Zon* 681

Regular Articles

Accumulation of apolipoprotein E–rich high density lipoproteins in hyperalphalipoproteinemic human subjects with plasma cholesteryl ester transfer protein deficiency. *S. Yamashita, D. L. Sprecher, N. Sakai, Y. Matsuzawa, S. Tarui, and D. Y. Hui* 688

Human very low density lipoproteins and chylomicrons can protect against endotoxin-induced death in mice. *H. W. Harris, C. Grunfeld, K. R. Feingold, and J. H. Rapp* 696

Regulation of human monocyte/macrophage function by extracellular matrix. Adherence of monocytes to collagen matrices enhances phagocytosis of opsonized bacteria by activation of complement receptors and enhancement of Fc receptor function. *S. L. Newman and M. A. Tucci* 703

Enzymolysis of glomerular immune deposits in vivo with dextranase/protease ameliorates proteinuria, hematuria, and mesangial proliferation in murine experimental IgA nephropathy. *L. Gesualdo, S. Ricanati, M. O. Hassan, S. N. Emancipator, and M. E. Lamm* 715

Thyroid-stimulating antibody activity between different immunoglobulin G subclasses. *A. P. Weetman, M. E. Yateman, P. A. Ealey, C. M. Black, C. B. Reimer, R. C. Williams, Jr., B. Shine, and N. J. Marshall* . . . 723

A missense mutation at codon 188 of the human lipoprotein lipase gene is a frequent cause of lipoprotein lipase deficiency in persons of different ancestries *M. V. Monsalve, H. Henderson, G. Roederer, P. Julien, S. Deeb, J. J. P. Kastelein, L. Peritz, R. Devlin, T. Bruin, M. R. V. Murthy, C. Gagne, J. Davignon, P. J. Lupien, J. D. Brunzell, and M. R. Hayden* 728

Phenotypic expression of heterozygous lipoprotein lipase deficiency in the extended pedigree of a proband homozygous for a missense mutation. *D. E. Wilson, M. Emi, P.-H. Iverius, A. Hata, L. L. Wu, E. Hillas, R. R. Williams, and J.-M. Lalouel* 735

Skeletal muscle response to exercise training in congestive heart failure. *J. R. Minotti, E. C. Johnson, T. L. Hudson, G. Zuroske, G. Murata, E. Fukushima, T. G. Cagle, T. W. Chick, B. M. Massie, and M. V. Icenogle* 751

Rapid and reversible secretion changes during uncoupling of rat insulin-producing cells. *P. Meda, D. Bosco, M. Chanson, E. Giordano, L. Vallar, C. Wollheim, and L. Orci* 759

Therapeutic treatment of New Zealand mouse disease by a limited number of anti–idiotypic antibodies conjugated with neocarzinostatin. *N. Harata, T. Sasaki, H. Osaki, T. Saito, S. Shibata, T. Muryoi, O. Takai, and K. Yoshinaga* 769

Alterations in phospholipid *N*-methylation of cardiac subcellular membranes due to experimentally induced diabetes in rats. *V. Panagia, Y. Taira, P. K. Ganguly, S. Tung, and N. S. Dhalla* 777

Distinct abnormalities in the interaction of purified types IIA and IIB von Willebrand factor with the two platelet binding sites, glycoprotein complexes Ib-IX and IIb-IIIa. *L. De Marco, M. Mazzucato, D. De Roia, A. Casonato, A. B. Federici, A. Girolami, and Z. M. Ruggeri* 785

Erythrocyte sequestration and anemia in severe falciparum malaria. Analysis of acute changes in venous hematocrit using a simple mathematical model. *T. M. E. Davis, S. Krishna, S. Looareesuwan, W. Supanaranond, S. Pukrittayakamee, K. Attatamsoonthorn, and N. J. White* 793

Lack of effect of lovastatin therapy on the parameters of whole-body cholesterol metabolism. *I. J. Goldberg, S. Holleran, R. Ramakrishnan, M. Adams, R. H. Palmer, R. B. Dell, and D. S. Goodman* 801

Analysis of thymic endogenous retroviral expression in murine lupus. Genetic and immune studies. *A. M. Krieg and A. D. Steinberg* 809

An immunoprotective molecule, the major secretory protein of *Legionella pneumophila*, is not a virulence factor in a guinea pig model of Legionnaires' disease. *S. J. Blander, L. Szeto, H. A. Shuman, and M. A. Horwitz* 817

Vasoactive intestinal peptide in human nasal mucosa. *J. N. Baraniuk, J. D. Lundgren, M. Okayama, J. Mullol, M. Merida, J. H. Shelhamer, and M. A. Kaliner* . . . 825

Distribution of 11β-hydroxysteroid dehydrogenase along the rabbit nephron. *J.-P. Bonvalet, I. Doignon, M. Blot-Chabaud, P. Pradelles, and N. Farman* 832

Increased pulmonary neuroendocrine cells with bombesin-like immunoreactivity in adult patients with eosinophilic granuloma. *S. M. Aguayo, T. E. King, Jr., J. A. Waldron, Jr., K. M. Sherritt, M. A. Kane, and Y. E. Miller* 838

Effects of interleukin 2 on cardiac function in the isolated rat heart. *P. A. Sobotka, J. McMannis, R. I. Fisher, D. G. Stein, and J. X. Thomas, Jr.* 845

Ascitic fluid from human ovarian cancer patients contains growth factors necessary for intraperitoneal growth of human ovarian adenocarcinoma cells. *G. B. Mills, C. May, M. Hill, S. Campbell, P. Shaw, and A. Marks* 851

Interleukin 1 inhibits insulin secretion from isolated rat pancreatic islets by a process that requires gene transcription and mRNA translation. *J. H. Hughes, J. R. Colca, R. A. Easom, J. Turk, and M. L. McDaniel* 856

Cloning and characterization of a second complementary DNA for human tryptase. *J. S. Miller, G. Moxley, and L. B. Schwartz* 864

Pituitary-like proopiomelanocortin transcripts in human Leydig cell tumors. *Y. de Keyzer, F. Lenne, J.-F. Massias, D. Vieau, J.-P. Luton, A. Kahn, and X. Bertagna* 871

Differential regulation of insulin-like growth factor binding protein secretion from human decidual cells by IGF-1, insulin, and relaxin. *K. M. Thrailkill, D. R. Clemmons, W. H. Busby, Jr., and S. Handwerger* 878

Two distinct abnormalities in patients with C8α-γ deficiency. Low level of C8β chain and presence of dysfunctional C8α-γ subunit. *F. Tedesco, L. Roncelli, B. H. Petersen, V. Agnello, and J. M. Sodetz* 884

Congenital hypothyroidism, as studied in rats. Crucial role of maternal thyroxine but not of 3,5,3'-triiodothyronine in the protection of the fetal brain. *R. Calvo, M. J. Obregón, C. Ruiz de Oña, F. Escobar del Rey, and G. Morreale de Escobar* . . . 889

Acetylcholinesterase and butyrylcholinesterase genes coamplify in primary ovarian carcinomas. *H. Zakut, G. Ehrlich, A. Ayalon, C. A. Prody, G. Malinger, S. Seidman, D. Ginzberg, R. Kehlenbach, and H. Soreq* 900

Point mutation in the β-spectrin gene associated with α1/74 hereditary elliptocytosis. Implications for the mechanism of spectrin dimer self-association. *W. T. Tse, M.-C. Lecomte, F. F. Costa, M. Garbarz, C. Feo, P. Boivin, D. Dhermy, and B. G. Forget* 909

Co-localization of transforming growth factor β2 with α1(I) procollagen mRNA in tissue sections of patients with systemic sclerosis. *M. Kulozik, A. Hogg, B. Lankat-Buttgereit, and T. Krieg* 917

A molecular defect in hepatic cholesterol biosynthesis in sitosterolemia with xanthomatosis. *L. B. Nguyen, S. Shefer, G. Salen, G. C. Ness, G. S. Tint, F. G. Zaki, and I. Rani* 923

Cytokine-dependent long-term culture of highly enriched precursors of hematopoietic progenitor cells from human bone marrow. *J. Brandt, E. F. Srour, K. van Besien, R. A. Briddell, and R. Hoffman* 932

Neutrophil bactericidal activity against *Staphylococcus aureus* adherent on biological surfaces. Surface-bound extracellular matrix proteins activate intracellular killing by oxygen-dependent and -independent mechanisms. *M. Herrmann, M. E. E. Jaconi, C. Dahlgren, F. A. Waldvogel, O. Stendahl, and D. P. Lew* 942

Regulation of binding proteins for insulin-like growth factors (IGF) in humans. Increased expression of IGF binding protein 2 during IGF I treatment of healthy adults and in patients with extrapancreatic tumor hypoglycemia. *J. Zapf, Ch. Schmid, H. P. Guler, M. Waldvogel, Ch. Hauri, E. Futo, P. Hossenlopp, M. Binoux, and E. R. Froesch* 952

Antioxidant macromolecules in the epithelial lining fluid of the normal human lower respiratory tract. *A. M. Cantin, G. A. Fells, R. C. Hubbard, and R. G. Crystal* 962

Interleukin 1 (IL-1) gene expression, synthesis, and effect of specific IL-1 receptor blockade in rabbit immune complex colitis. *F. Cominelli, C. C. Nast, B. D. Clark, R. Schindler, R. Llerena, V. E. Eysselein, R. C. Thompson, and C. A. Dinarello* 972

Rapid Publications

Autoreactive T lymphocytes in multiple sclerosis determined by antigen-induced secretion of interferon-γ. *T. Olsson, W. W. Zhi, B. Höjeberg, V. Kostulas, J. Yu-Ping, G. Anderson, H.-P. Ekre, and H. Link* . . . 981

Restricted expression of the erythroid/brain glucose transporter isoform to perivenous hepatocytes in rats. Modulation by glucose. *M. Tal, D. L. Schneider, B. Thorens, and H. F. Lodish* 986

Familial hypertrophic cardiomyopathy is a genetically heterogeneous disease. *S. D. Solomon, J. A. Jarcho, W. McKenna, A. Geisterfer-Lowrance, R. Germain, R. Salerni, J. G. Seidman, and C. E. Seidman* 993

Molecular basis of medium chain acyl-coenzyme A dehydrogenase deficiency. An A to G transition at position 985 that causes a lysine-304 to glutamate substitution in the mature protein is the single prevalent mutation. *I. Yokota, Y. Indo, P. M. Coates, and K. Tanaka* 1000

Enhanced expression of an exocrine pancreatic protein in Alzheimer's disease and the developing human brain. *S. M. de la Monte, M. Ozturk, and J. R. Wands* . . . 1004

September Author Index 1014

Contents

The Journal of Clinical Investigation
October 1990, Volume 86, Number 4

Perspectives

Structure and function of the T cell antigen receptor. *A. Weiss* 1015

Regular Articles

Hyponatremia in rats induces downregulation of vasopressin synthesis. *A. G. Robinson, M. M. Roberts, W. A. Evron, J. G. Verbalis, and T. G. Sherman* . . . 1023

Possible role of bacterial siderophores in inflammation. Iron bound to the *Pseudomonas* siderophore pyochelin can function as a hydroxyl radical catalyst. *T. J. Coffman, C. D. Cox, B. L. Edeker, and B. E. Britigan* 1030

Synergism between hepatic injuries and a nonhepatotropic reovirus in mice. Enhanced hepatic infection and death. *D. A. Piccoli, C. L. Witzleben, C. J. Guico, A. Morrison, and D. H. Rubin* 1038

Relationship between the content of lysyl oxidase–dependent cross-links in skin collagen, nonenzymatic glycosylation, and long-term complications in type I diabetes mellitus. *B. Buckingham and K. M. Reiser* . . 1046

Platelet-derived growth factor in idiopathic pulmonary fibrosis. *H. N. Antoniades, M. A. Bravo, R. E. Avila, T. Galanopoulos, J. Neville-Golden, M. Maxwell, and M. Selman* 1055

Fibronectin fragments containing the RGDS cell-binding domain mediate monocyte migration into the rabbit lung. A potential mechanism for C5 fragment–induced monocyte lung accumulation. *D. E. Doherty, P. M. Henson, and R. A. F. Clark* 1065

Potassium depletion increases luminal Na^+/H^+ exchange and basolateral $Na^+:CO_3^-:HCO_3^-$ cotransport in rat renal cortex. *M. Soleimani, J. A. Bergman, M. A. Hosford, and T. D. McKinney* 1076

Mutation of the signal peptide-encoding region of the preproparathyroid hormone gene in familial isolated hypoparathyroidism. *A. Arnold, S. A. Horst, T. J. Gardella, H. Baba, M. A. Levine, and H. M. Kronenberg* 1084

Isolation of a human epidermal cDNA corresponding to the 180-kD autoantigen recognized by bullous pemphigoid and herpes gestationis sera. Immunolocalization of this protein to the hemidesmosome. *L. A. Diaz, H. Ratrie III, W. S. Saunders, S. Futamura, H. L. Squiquera, G. J. Anhalt, and G. J. Giudice* 1088

Endogenous prostaglandin endoperoxides and prostacyclin modulate the thrombolytic activity of tissue plasminogen activator. Effects of simultaneous inhibition of thromboxane A_2 synthase and blockade of thromboxane A_2/prostaglandin H_2 receptors in a canine model of coronary thrombosis. *P. Golino, M. Rosolowsky, S.-K. Yao, J. McNatt, F. De Clerck, L. M. Buja, and J. T. Willerson* 1095

Feedback inhibition of aldose reductase gene expression in rat renal medulla. Galactitol accumulation reduces enzyme mRNA levels and depletes cellular inositol content. *C. Bondy, B. D. Cowley, Jr., S. L. Lightman, and P. F. Kador* 1103

Modulation of interleukin-1β RNA in monocytic cells infected with human immunodeficiency virus-1. *K. Yamato, Z. El-Hajjaoui, K. Simon, and H. P. Koeffler* 1109

Essential fatty acid deficiency ameliorates acute renal dysfunction in the rat after the administration of the aminonucleoside of puromycin. *K. P. G. Harris, J. B. Lefkowith, S. Klahr, and G. F. Schreiner* 1115

Activation pathways of synovial T lymphocytes. Expression and function of the UM4D4/CDw60 antigen. *D. A. Fox, J. A. Millard, L. Kan, W. S. Zeldes, W. Davis, J. Higgs, F. Emmrich, and R. W. Kinne* 1124

High level transcription of the glucocerebrosidase pseudogene in normal subjects and patients with Gaucher disease. *J. Sorge, E. Gross, C. West, and E. Beutler* . . 1137

Apolipoprotein A-I and its amphipathic helix peptide analogues inhibit human immunodeficiency virus-induced syncytium formation. *R. J. Owens, G. M. Anantharamaiah, J. B. Kahlon, R. V. Srinivas, R. W. Compans, and J. P. Segrest* 1142

Deletion of Alu sequences in the fifth c-*sis* intron in individuals with meningiomas. *M. Smidt, I. Kirsch, and L. Ratner* 1151

Molecular basis of hereditary C3 deficiency. *M. Botto, K. Y. Fong, A. K. So, A. Rudge, and M. J. Walport* . . 1158

Endothelin enhances the contractile responsiveness of adult rat ventricular myocytes to calcium by a pertussis toxin–sensitive pathway. *R. A. Kelly, H. Eid, B. K. Krämer, M. O'Neill, B. T. Liang, M. Reers, and T. W. Smith* 1164

Apical membrane limits urea permeation across the rat inner medullary collecting duct. *R. A. Star* 1172

Induction of renal growth and injury in the intact rat kidney by dietary deficiency of antioxidants. *K. A. Nath and A. K. Salahudeen* 1179

Autoantibodies to the HLA-B27 sequence cross-react with the hypothetical peptide from the arthritis-associated *Shigella* plasmid. *N. Tsuchiya, G. Husby, R. C. Williams, Jr., H. Stieglitz, P. E. Lipsky, and R. D. Inman* 1193

Immune modulation of metalloproteinase production in human macrophages. Selective pretranslational suppression of interstitial collagenase and stromelysin biosynthesis by interferon-γ. *S. D. Shapiro, E. J. Campbell, D. K. Kobayashi, and H. G. Welgus* . . 1204

A direct comparison of biological response modulation and clinical side effects by interferon-beta$_{ser}$, interferon-gamma, or the combination of interferons beta$_{ser}$ and gamma in humans. *J. H. Schiller, B. Storer, D. M. Paulnock, R. R. Brown, S. P. Datta, P. L. Witt, and E. C. Borden* 1211

Enhanced utilization of exogenous glucose improves cardiac function in hypoxic rabbit ventricle without increasing total glycolytic flux. *E. M. Runnman, S. T. Lamp, and J. N. Weiss* 1222

Interferon-γ overcomes glucocorticoid suppression of cachectin/tumor necrosis factor biosynthesis by murine macrophages. *C. E. Luedke and A. Cerami* 1234

Effect of inhibition of Na^+/K^+-adenosine triphosphatase on vascular action of vasopressin. *K. Okada, C. Caramelo, P. Tsai, and R. W. Schrier* 1241

Polyclonal B cell activation in lupus-prone mice precedes and predicts the development of autoimmune disease. *D. M. Klinman* 1249

Lack of induction of suppressor T cells by intestinal epithelial cells from patients with inflammatory bowel disease. *L. Mayer and D. Eisenhardt* 1255

Expression of *ras* oncogenes in cultured human cells alters the transcriptional and posttranscriptional regulation of cytokine genes. *G. D. Demetri, T. J. Ernst, E. S. Pratt II, B. W. Zenzie, J. G. Rheinwald, and J. D. Griffin* 1261

Role of lung fluid volume in growth and maturation of the fetal sheep lung. *A. C. Moessinger, R. Harding, T. M. Adamson, M. Singh, and G. T. Kiu* 1270

Role of ventriculovascular coupling in cardiac response to increased contractility in closed-chest dogs. *G. L. Freeman and J. T. Colston* 1278

The immunoglobulin G subclass composition of immune complexes in cystic fibrosis. Implications for the pathogenesis of the *Pseudomonas* lung lesion. *D. B. Hornick and R. B. Fick, Jr.* 1285

Myocardial localization and isoforms of neural cell adhesion molecule (N-CAM) in the developing and transplanted human heart. *L. Gordon, J. Wharton, S. E. Moore, F. S. Walsh, J. G. Moscoso, R. Penketh, J. Wallwork, K. M. Taylor, M. H. Yacoub, and J. M. Polak* 1293

Cell surface expression of the 70-kD component of Ku, a DNA-binding nuclear autoantigen. *B. S. Prabhakar, G. P. Allaway, J. Srinivasappa, and A. L. Notkins* . . . 1301

Chylomicron remnant clearance from the plasma is normal in familial hypercholesterolemic homozygotes with defined receptor defects. *D. C. Rubinsztein, J. C. Cohen, G. M. Berger, D. R. van der Westhuyzen, G. A. Coetzee, and W. Gevers* 1306

Regulation of parathyroid hormone gene expression by hypocalcemia, hypercalcemia, and vitamin D in the rat. *T. Naveh-Many and J. Silver* 1313

The complete nucleotide sequences of the heavy chain variable regions of six monospecific rheumatoid factors derived from Epstein-Barr virus–transformed B cells isolated from the synovial tissue of patients with rheumatoid arthritis. Further evidence that some autoantibodies are unmutated copies of germ line genes. *V. Pascual, I. Randen, K. Thompson, M. Sioud, O. Forre, J. Natvig, and J. D. Capra* 1320

Biogenesis of intestinal lactase-phlorizin hydrolase in adults with lactose intolerance. Evidence for reduced biosynthesis and slowed-down maturation in enterocytes. *E. E. Sterchi, P. R. Mills, J. A. M. Fransen, H.-P. Hauri, M. J. Lentze, H. Y. Naim, L. Ginsel, and J. Bond* . . . 1329

Rapid Publications

The biosynthetic basis of adult lactase deficiency. *J. Witte, M. Lloyd, V. Lorenzsonn, H. Korsmo, and W. Olsen* 1338

An insertion/deletion polymorphism in the angiotensin I-converting enzyme gene accounting for half the variance of serum enzyme levels. *B. Rigat, C. Hubert, F. Alhenc-Gelas, F. Cambien, P. Corvol, and F. Soubrier* 1343

Failure of T cell receptor-anti-CD3 monoclonal antibody interaction in T cells from marrow recipients to induce increases in intracellular ionized calcium. *M. Yamagami, P. W. McFadden, S. M. Koethe, V. Ratanatharathorn, and L. G. Lum* 1347

Endogenous angiotensin concentrations in specific intrarenal fluid compartments of the rat. *M. G. Seikaly, B. S. Arant, Jr., and F. D. Seney, Jr.* 1352

Oligoclonal T cell receptor gene rearrangements in blood lymphocytes of patients with acute Epstein-Barr virus–induced infectious mononucleosis. *J. G. Strickler, L. A. Movahed, K. J. Gajl-Peczalska, C. A. Horwitz, R. D. Brunning, and L. M. Weiss* 1358

Platelet α-granule fibrinogen, albumin, and immunoglobulin G are not synthesized by rat and mouse megakaryocytes. *P. Handagama, D. A. Rappolee, Z. Werb, J. Levin, and D. F. Bainton* 1364

In vivo activation by ultraviolet rays of the human immunodeficiency virus type 1 long terminal repeat. *C. Cavard, A. Zider, M. Vernet, M. Bennoun, S. Saragosti, G. Grimber, and P. Briand* 1369

Selective regulation of cellular cyclooxygenase by dexamethasone and endotoxin in mice. *J. L. Masferrer, B. S. Zweifel, K. Seibert, and P. Needleman* 1375

October Author Index 1380

Contents

The Journal of Clinical Investigation
November 1990, Volume 86, Number 5

Perspectives

Antibiotic proteins of human neutrophils. *J. K. Spitznagel* 1381

Regular Articles

Expression of human bone-related proteins in the hematopoietic microenvironment. *M. W. Long, J. L. Williams, and K. G. Mann* 1387

Characterization in vitro of a human tumor necrosis factor–binding protein. A soluble form of a tumor necrosis factor receptor. *M. Lantz, U. Gullberg, E. Nilsson, and I. Olsson* 1396

Whole-body lipolysis and triglyceride-fatty acid cycling in cachectic patients with esophageal cancer. *S. Klein and R. R. Wolfe* 1403

Glucocorticoids inhibit neurogenic plasma extravasation and prevent virus-potentiated extravasation in the rat trachea. *G. Piedimonte, D. M. McDonald, and J. A. Nadel* 1409

Uroporphyrinogen decarboxylase: a splice site mutation causes the deletion of exon 6 in multiple families with porphyria cutanea tarda. *J. R. Garey, L. M. Harrison, K. F. Franklin, K. M. Metcalf, E. S. Radisky, and J. P. Kushner* 1416

Skeletal muscle metabolism is a major determinant of resting energy expenditure. *F. Zurlo, K. Larson, C. Bogardus, and E. Ravussin* 1423

Immunogenicity in animals of a polysaccharide-protein conjugate vaccine against type III group B *Streptococcus*. *M. R. Wessels, L. C. Paoletti, D. L. Kasper, J. L. DiFabio, F. Michon, K. Holme, and H. J. Jennings* 1428

Role of cytochrome P-450 in reperfusion injury of the rabbit lung. *G. K. Bysani, T. P. Kennedy, N. Ky, N. V. Rao, C. A. Blaze, and J. R. Hoidal* 1434

Transfection-mediated expression of a dominant cAMP-resistant phenotype in the opossum kidney (OK) cell line prevents parathyroid hormone-induced inhibition of Na-phosphate cotransport. A protein kinase-A–mediated event. *J. H. Segal and A. S. Pollock* 1442

Noncoordinate regulation of alpha-1 adrenoreceptor coupling and reexpression of alpha skeletal actin in myocardial infarction-induced left ventricular failure in rats. *L. G. Meggs, J. Tillotson, H. Huang, E. H. Sonnenblick, J. M. Capasso, and P. Anversa* . . 1451

Transforming growth factor-β activity in sheep lung lymph during the development of pulmonary hypertension. *E. A. Perkett, R. M. Lyons, H. L. Moses, K. L. Brigham, and B. Meyrick* 1459

A mutation in the gene for type III procollagen (COL3A1) in a family with aortic aneurysms. *S. Kontusaari, G. Tromp, H. Kuivaniemi, A. M. Romanic, and D. J. Prockop* 1465

Mechanism of acid-induced release of secretin in rats. Presence of a secretin-releasing peptide. *P. Li, K. Y. Lee, T.-M. Chang, and W. Y. Chey* 1474

Potent toxicity of 2-chlorodeoxyadenosine toward human monocytes in vitro and in vivo. A novel approach to immunosuppressive therapy. *C. J. Carrera, C. Terai, M. Lotz, J. G. Curd, L. D. Piro, E. Beutler, and D. A. Carson* 1480

Tumor necrosis factor-α and interferon-γ suppress the activation of human type I collagen gene expression by transforming growth factor-β1. Evidence for two distinct mechanisms of inhibition at the transcriptional and posttranscriptional levels. *V.-M. Kähäri, Y. Q. Chen, M. W. Su, F. Ramirez, and J. Uitto* 1489

Neutral metalloproteinases produced by human mononuclear phagocytes. Enzyme profile, regulation, and expression during cellular development. *H. G. Welgus, E. J. Campbell, J. D. Cury, A. Z. Eisen, R. M. Senior, S. M. Wilhelm, and G. I. Goldberg* 1496

Elevated insulin receptor content in human breast cancer. *V. Papa, V. Pezzino, A. Costantino, A. Belfiore, D. Giuffrida, L. Frittitta, G. B. Vannelli, R. Brand, I. D. Goldfine, and R. Vigneri* 1503

Two different point G to A mutations in exon 10 of the porphobilinogen deaminase gene are responsible for acute intermittent porphyria. *M. H. Delfau, C. Picat, F. W. M. de Rooij, K. Hamer, M. Bogard, J. H. P. Wilson, J. C. Deybach, Y. Nordmann, and B. Grandchamp* . . 1511

Transcriptional regulation of c-*jun* gene expression by arabinofuranosylcytosine in human myeloid leukemia cells. *S. M. Kharbanda, M. L. Sherman, and D. W. Kufe* 1517

Structure and distribution of an Alu-type deletion mutation in Sandhoff disease. *K. Neote, B. McInnes, D. J. Mahuran, and R. A. Gravel* 1524

Angiotensin an\ thromboxane in the enhanced renal adrenergic nerve sensitivity of acute renal failure. *J. B. Robinette and J. D. Conger* 1532

Physiological measurements of luminal stirring in the dog and human small bowel. *M. D. Levitt, J. K. Furne, A. Strocchi, B. W. Anderson, and D. G. Levitt* 1540

Relationship between proliferation and cell cycle–dependent Ca^{2+} influx induced by a combination of thyrotropin and insulin-like growth factor-I in rat thyroid cells. *K. Takada, N. Amino, H. Tada, and K. Miyai* . . 1548

Macrophages cultured in vitro release leukotriene B_4 and neutrophil attractant/activation protein (interleukin 8) sequentially in response to stimulation with lipopolysaccharide and zymosan. *J. A. Rankin, I. Sylvester, S. Smith, T. Yoshimura, and E. J. Leonard* 1556

Ibuprofen prevents oxidant lung injury and in vitro lipid peroxidation by chelating iron. *T. P. Kennedy, N. V. Rao, W. Noah, J. R. Michael, M. H. Jafri, Jr., G. H. Gurtner, and J. R. Hoidal* 1565

Inactivation of beef brain α-ketoglutarate dehydrogenase complex by valproic acid and valproic acid metabolites. Possible mechanism of anticonvulsant and toxic actions. *A. S. Luder, J. K. Parks, F. Frerman, and W. D. Parker, Jr.* 1574

Pathogenesis of hyperadrenergic orthostatic hypotension. Evidence of disordered venous innervation exclusively in the lower limbs. *D. H. P. Streeten* 1582

Cephalosporin-induced alteration in hepatic glutathione redox state. A potential mechanism for inhibition of hepatic reduction of vitamin K_1,2,3-epoxide in the rat. *M. C. Mitchell, A. Mallat, and J. J. Lipsky* 1589

Beta-adrenoceptor expression in human fat cells from different regions. *P. Arner, L. Hellström, H. Wahrenberg, and M. Brönnegård* 1595

Pearson's marrow–pancreas syndrome. A multisystem mitochondrial disorder in infancy. *A. Rötig, V. Cormier, S. Blanche, J.-P. Bonnefont, F. Ledeist, N. Romero, J. Schmitz, P. Rustin, A. Fischer, J.-M. Saudubray, and A. Munnich* 1601

Detection, semiquantitation, and genetic variation in hepatitis C virus sequences amplified from the plasma of blood donors with elevated alanine aminotransferase. *P. P. Ulrich, J. M. Romeo, P. K. Lane, I. Kelly, L. J. Daniel, and G. N. Vyas* 1609

Reduced β-cell glucose transporter in new onset diabetic BB rats. *L. Orci, R. H. Unger, M. Ravazzola, A. Ogawa, I. Komiya, D. Baetens, H. F. Lodish, and B. Thorens* 1615

A novel X-linked combined immunodeficiency disease. *E. G. Brooks, F. C. Schmalstieg, D. P. Wirt, H. M. Rosenblatt, L. T. Adkins, D. P. Lookingbill, H. E. Rudloff, T. A. Rakusan, and A. S. Goldman* . . . 1623

Epidermal growth factor regulates the in vitro sensitivity of human ovarian carcinoma cells to cisplatin. *R. D. Christen, D. K. Hom, D. C. Porter, P. A. Andrews, C. L. MacLeod, L. Hafstrom, and S. B. Howell* 1632

Extracellular matrix gene expression increases preferentially in rat lipocytes and sinusoidal endothelial cells during hepatic fibrosis in vivo. *J. J. Maher and R. F. McGuire* 1641

Effects of caerulein on the apical cytoskeleton of the pancreatic acinar cell. *M. S. O'Konski and S. J. Pandol* 1649

Mapping of a functional autoimmune epitope on the β_1-adrenergic receptor in patients with idiopathic dilated cardiomyopathy. *Y. Magnusson, S. Marullo, S. Hoyer, F. Waagstein, B. Andersson, A. Vahlne, J.-G. Guillet, A. D. Strosberg, Å. Hjalmarson, and J. Hoebeke* . . . 1658

A phosphatase activity present in peripheral blood myeloid cells of chronic myelogenous leukemia patients but not normal individuals alters nuclear protein binding to transcriptional enhancers of interferon-inducible genes. *D. C. Seong, S. Sims, E. Johnson, O. M. Z. Howard, B. Reiter, J. Hester, M. Talpaz, H. Kantarjian, and A. Deisseroth* 1664

Nuclear proteins in mouse brain cells bind specifically to the myelin basic protein regulatory region. *M. S. Lashgari, K. Devine-Beach, S. Haas, and K. Khalili* 1671

Mechanism of *Pneumocystis carinii* attachment to cultured rat alveolar macrophages. *S. T. Pottratz and W. J. Martin II* 1678

CD4-*Pseudomonas* exotoxin conjugates delay but do not fully inhibit human immunodeficiency virus replication in lymphocytes in vitro. *H. Tsubota, G. Winkler, H. M. Meade, A. Jakubowski, D. W. Thomas, and N. L. Letvin* 1684

Atrial natriuretic polypeptide inhibits hypertrophy of vascular smooth muscle cells. *H. Itoh, R. E. Pratt, and V. J. Dzau* 1690

Evidence that diffusion limitation determines oxygen uptake kinetics during exercise in humans. *A. Koike, K. Wasserman, D. K. McKenzie, S. Zanconato, and D. Weiler-Ravell* 1698

Renal vasoconstriction caused by short-term cholesterol feeding is corrected by thromboxane antagonist or probucol. *R. Kaplan, H. S. Aynedjian, D. Schlondorff, and N. Bank* 1707

Arginine-glycine-aspartic acid- and fibrinogen γ-chain carboxyterminal peptides inhibit platelet adherence to arterial subendothelium at high wall shear rates. An effect dissociable from interference with adhesive protein binding. *J. B. Lawrence, W. S. Kramer, L. P. McKeown, S. B. Williams, and H. R. Gralnick* 1715

A substitution at a non-glycine position in the triple-helical domain of proα2(I) collagen chains present in an individual with a variant of the Marfan syndrome. *C. L. Phillips, A. W. Shrago-Howe, S. R. Pinnell, and R. J. Wenstrup* 1723

Human neutrophil cytochrome *b* light chain (p22-*phox*). Gene structure, chromosomal location, and mutations in cytochrome-negative autosomal recessive chronic granulomatous disease. *M. C. Dinauer, E. A. Pierce, G. A. P. Bruns, J. T. Curnutte, and S. H. Orkin* 1729

Cholesterol synthesis is required for cutaneous barrier function in mice. *K. R. Feingold, M. Mao-Qiang, G. K. Menon, S. S. Cho, B. E. Brown, and P. M. Elias* 1738

Rapid Publications

Insulin regulates apolipoprotein B turnover and phosphorylation in rat hepatocytes. *T. K. Jackson, A. I. Salhanick, J. Elovson, M. L. Deichman, and J. M. Amatruda* 1746

Schindler disease: the molecular lesion in the α-*N*-acetylgalactosaminidase gene that causes an infantile neuroaxonal dystrophy. *A. M. Wang, D. Schindler, and R. J. Desnick* 1752

L-Tryptophan implicated in human eosinophilia-myalgia syndrome causes fasciitis and perimyositis in the Lewis rat. *L. J. Crofford, J. I. Rader, M. C. Dalakas, R. H. Hill, Jr., S. W. Page, L. L. Needham, L. S. Brady, M. P. Heyes, R. L. Wilder, P. W. Gold, I. Illa, C. Smith, and E. M. Sternberg* 1757

Detection of hepatitis C virus ribonucleic acid in the serum by amplification with polymerase chain reaction. *N. Kato, O. Yokosuka, M. Omata, K. Hosoda, and M. Ohto* 1764

Role of endothelium-derived nitric oxide in the bleeding tendency of uremia. *G. Remuzzi, N. Perico, C. Zoja, D. Corna, D. Macconi, and G. Viganò* 1768

November Author Index 1772

The Journal of Clinical Investigation
December 1990, Volume 86, Number 6

Perspectives

Preparing for the next generation. Presidential address to the American Society for Clinical Investigation, Washington, DC, 7 May 1990. *S. H. Orkin* 1773

Nuclear thyroid hormone receptors. *M. A. Lazar and W. W. Chin* 1777

Immune and inflammatory processes in cutaneous tissues. Mechanisms and speculations. *T. S. Kupper* . . 1783

Regular Articles

Cytokines in chronic inflammatory arthritis. V. Mutual antagonism between interferon-gamma and tumor necrosis factor-alpha on HLA-DR expression, proliferation, collagenase production, and granulocyte macrophage colony-stimulating factor production by rheumatoid arthritis synoviocytes. *J. M. Alvaro-Gracia, N. J. Zvaifler, and G. S. Firestein* 1790

Short-term regulation of Na^+/K^+ adenosine triphosphatase by recombinant human serotonin 5-HT_{1A} receptor expressed in HeLa cells. *J. P. Middleton, J. R. Raymond, A. R. Whorton, and V. W. Dennis* . . 1799

Insulin-like growth factor I expression by tumors of neuroectodermal origin with the t(11;22) chromosomal translocation. A potential autocrine growth factor. *D. Yee, R. E. Favoni, G. S. Lebovic, F. Lombana, D. R. Powell, C. P. Reynolds, and N. Rosen* 1806

Lysis of complement-sensitive *Entamoeba histolytica* by activated terminal complement components. Initiation of complement activation by an extracellular neutral cysteine proteinase. *S. L. Reed and I. Gigli* 1815

Developmental adaptations in cytosolic phosphate content and pH regulation in the sheep heart in vivo. *M. A. Portman and X.-H. Ning* 1823

Electrophysiological identification of α- and β-intercalated cells and their distribution along the rabbit distal nephron segments. *S. Muto, K. Yasoshima, K. Yoshitomi, M. Imai, and Y. Asano* 1829

Thyroxine uptake by perfused rat liver. No evidence for facilitation by five different thyroxine-binding proteins. *C. M. Mendel and R. A. Weisiger* 1840

An adherent subline of a unique small-cell lung cancer cell line downregulates antigens of the neural cell adhesion molecule. *L. A. Doyle, M. Borges, A. Hussain, A. Elias, and T. Tomiyasu* 1848

Arterial baroreflex buffering of sympathetic activation during exercise-induced elevations in arterial pressure. *U. Scherrer, S. L. Pryor, L. A. Bertocci, and R. G. Victor* 1855

Metabolic studies of radioiodinated serum amyloid P component in normal subjects and patients with systemic amyloidosis. *P. N. Hawkins, R. Wootton, and M. B. Pepys* 1862

Basis for defective proliferation of peripheral blood T cells to anti-CD2 antibodies in primary Sjögren's syndrome. *R. Gerli, A. Bertotto, E. Agea, L. Lanfrancone, C. Cernetti, F. Spinozzi, and P. Rambotti* 1870

A null deficiency allele of α_1-antitrypsin, *QOludwigshafen*, with altered tertiary structure. *G. C. Fraizer, M. A. Siewertsen, M. H. Hofker, M. G. Brubacher, and D. W. Cox* 1878

Increased hydrolysis of cholesteryl ester with prostacyclin is potentiated by high density lipoprotein through the prostacyclin stabilization. *H. Morishita, Y. Yui, R. Hattori, T. Aoyama, and C. Kawai* 1885

Monocytes and polymorphonuclear neutrophils of patients with streptococcal pharyngitis express increased numbers of type I IgG Fc receptors. *P. M. Guyre, A. S. Campbell, W. D. Kniffin, and M. W. Fanger* . . . 1892

Prostaglandin protects isolated guinea pig chief cells against ethanol injury via an increase in diacylglycerol. *Y. Konda, H. Nishisaki, O. Nakano, K. Matsuda, K. Wada, M. Nagao, T. Matozaki, and C. Sakamoto* 1897

Cholera toxin inhibits signal transduction by several mitogens and the in vitro growth of human small-cell lung cancer. *J. Viallet, Y. Sharoni, H. Frucht, R. T. Jensen, J. D. Minna, and E. A. Sausville* 1904

Increased rat cardiac angiotensin converting enzyme activity and mRNA expression in pressure overload left ventricular hypertrophy. Effects on coronary resistance, contractility, and relaxation. *H. Schunkert, V. J. Dzau, S. S. Tang, A. T. Hirsch, C. S. Apstein, and B. H. Lorell* 1913

The core polypeptide of cystic fibrosis tracheal mucin contains a tandem repeat structure. Evidence for a common mucin in airway and gastrointestinal tissue. *C. Gerard, R. L. Eddy, Jr., and T. B. Shows* 1921

Enhancement of rabbit protein S anticoagulant cofactor activity in vivo by modulation of the protein S. C4B binding protein interaction. *R. E. Weinstein and F. J. Walker* 1928

Carbohydrate malabsorption. Its measurement and its contribution to diarrhea. *H. F. Hammer, K. D. Fine, C. A. Santa Ana, J. L. Porter, L. R. Schiller, and J. S. Fordtran* 1936

Interleukin-8 gene expression by a pulmonary epithelial cell line. A model for cytokine networks in the lung. *T. J. Standiford, S. L. Kunkel, M. A. Basha, S. W. Chensue, J. P. Lynch III, G. B. Toews, J. Westwick, and R. M. Strieter* 1945

Tumor necrosis factor–alpha inhibits expression of pulmonary surfactant protein. *J. R. Wispé, J. C. Clark, B. B. Warner, D. Fajardo, W. E. Hull, R. B. Holtzman, and J. A. Whitsett* 1954

Association between a T cell receptor restriction fragment length polymorphism and systemic lupus erythematosus. *J. G. Tebib, J. Alcocer-Varela, D. Alarcon-Segovia, and P. H. Schur* 1961

Regulation of 1,25-dihydroxyvitamin D_3 receptor gene expression by 1,25-dihydroxyvitamin D_3 in the parathyroid in vivo. *T. Naveh-Many, R. Marx, E. Keshet, J. W. Pike, and J. Silver* 1968

Recombinant latent transforming growth factor β1 has a longer plasma half-life in rats than active transforming growth factor β1, and a different tissue distribution. *L. M. Wakefield, T. S. Winokur, R. S. Hollands, K. Christopherson, A. D. Levinson, and M. B. Sporn* . . 1976

Blockade of endogenous anterior hypothalamic atrial natriuretic peptide with monoclonal antibody lowers blood pressure in spontaneously hypertensive rats. *R.-H. Yang, H. Jin, Y.-F. Chen, J. M. Wyss, and S. Oparil* 1985

Malondialdehyde and 4-hydroxynonenal protein adducts in plasma and liver of rats with iron overload. *K. Houglum, M. Filip, J. L. Witztum, and M. Chojkier* 1991

Hyperglycemia normalizes insulin-stimulated skeletal muscle glucose oxidation and storage in noninsulin-dependent diabetes mellitus. *D. E. Kelley and L. J. Mandarino* 1999

Glucagon, catecholamine and pancreatic polypeptide secretion in type I diabetic recipients of pancreas allografts. *P. Diem, J. B. Redmon, M. Abid, A. Moran, D. E. R. Sutherland, J. B. Halter, and R. P. Robertson* 2008

Metabolic effects of cachectin/tumor necrosis factor are modified by site of production. Cachectin/tumor necrosis factor–secreting tumor in skeletal muscle induces chronic cachexia, while implantation in brain induces predominately acute anorexia. *K. J. Tracey, S. Morgello, B. Koplin, T. J. Fahey III, J. Fox, A. Aledo, K. R. Manogue, and A. Cerami* 2014

A point mutation in transthyretin increases affinity for thyroxine and produces euthyroid hyperthyroxinemia. *A. C. Moses, H. N. Rosen, D. E. Moller, S. Tsuzaki, J. E. Haddow, J. Lawlor, J. J. Liepnieks, W. C. Nichols, and M. D. Benson* 2025

Lack of 3β-hydroxy-Δ^5-C_{27}-steroid dehydrogenase/isomerase in fibroblasts from a child with urinary excretion of 3β-hydroxy-Δ^5-bile acids. A new inborn error of metabolism. *M. S. Buchmann, E. A. Kvittingen, H. Nazer, T. Gunasekaran, P. T. Clayton, J. Sjövall, and I. Björkhem* 2034

Mechanism of increased gluconeogenesis in noninsulin-dependent diabetes mellitus. Role of alterations in systemic, hepatic, and muscle lactate and alanine metabolism. *A. Consoli, N. Nurjhan, J. J. Reilly, Jr., D. M. Bier, and J. E. Gerich* 2038

Role of intact cardiac nerves and reflex mechanisms in desensitization to catecholamines in conscious dogs. *J. Nejima, N. Uemura, D. E. Vatner, C. J. Homcy, T. H. Hintze, and S. F. Vatner* 2046

Increased hepatic mitochondrial capacity in rats with hydroxy-cobalamin[c-lactam]-induced methylmalonic aciduria. *S. Krahenbuhl, D. B. Ray, S. P. Stabler, R. H. Allen, and E. P. Brass* 2054

Retinoic acid modulates rat Ito cell proliferation, collagen, and transforming growth factor β production. *B. H. Davis, R. T. Kramer, and N. O. Davidson* . . . 2062

The molecular basis of hereditary 1,25-dihydroxyvitamin D_3 resistant rickets in seven related families. *P. J. Malloy, Z. Hochberg, D. Tiosano, J. W. Pike, M. R. Hughes, and D. Feldman* 2071

Mechanisms of lymphocytotoxicity induced by extracorporeal photochemotherapy for cutaneous T cell lymphoma. *D. I. Marks, S. P. Rockman, M. A. Oziemski, and R. M. Fox* 2080

Molecular cloning and sequence of the complementary DNA encoding human mitochondrial acetoacetyl-coenzyme A thiolase and study of the variant enzymes in cultured fibroblasts from patients with 3-ketothiolase deficiency. *T. Fukao, S. Yamaguchi, M. Kano, T. Orii, Y. Fujiki, T. Osumi, and T. Hashimoto* 2086

Familial hypercatabolic hypoproteinemia. A disorder of endogenous catabolism of albumin and immunoglobulin. *T. A. Waldmann and W. D. Terry* 2093

Phenotypic and functional characterization of T cells from patients with myasthenia gravis. *F. Mokhtarian, M. Pino, W. Ofosu-Appiah, and D. Grob* 2099

Diet-induced atherosclerosis increases the release of nitrogen oxides from rabbit aorta. *R. L. Minor, Jr., P. R. Myers, R. Guerra, Jr., J. N. Bates, and D. G. Harrison* 2109

Human immunodeficiency virus-1 glycoproteins gp120 and gp160 specifically inhibit the CD3/T cell–antigen receptor phosphoinositide transduction pathway. *D. Cefai, P. Debre, M. Kaczorek, T. Idziorek, B. Autran, and G. Bismuth* 2117

Use of oligonucleotide probes directed against T cell antigen receptor gamma delta variable-(diversity)-joining junctional sequences as a general method for detecting minimal residual disease in acute lymphoblastic leukemias. *E. A. Macintyre, L. d'Auriol, N. Duparc, G. Leverger, F. Galibert, and F. Sigaux* 2125

Active specific immunotherapy in patients with melanoma A clinical trial with mouse antiidiotypic monoclonal antibodies elicited with syngeneic anti–high-molecular-weight–melanoma-associated antigen monoclonal antibodies. *A. Mittelman, Z. J. Chen, T. Kageshita, H. Yang, M. Yamada, P. Baskind, N. Goldberg, C. Puccio, T. Ahmed, Z. Arlin, and S. Ferrone* 2136

Iron uptake by human upper small intestine microvillous membrane vesicles: indication for a facilitated transport mechanism mediated by a membrane iron-binding protein. *R. Teichmann and W. Stremmel* 2145

Anti–(U1) small nuclear RNA antibodies in anti–small nuclear ribonucleoprotein sera from patients with connective tissue diseases. *W. J. van Venrooij, R. Hoet, J. Castrop, B. Hageman, I. W. Mattaj, and L. B. van de Putte* 2154

Hyperglycemia-induced B cell toxicity. The fate of pancreatic islets transplanted into diabetic mice is dependent on their genetic background. *O. Korsgren, L. Jansson, S. Sandler, and A. Andersson* 2161

Rapid Publication

Inositol 1,4,5-trisphosphate may regulate rat brain Ca_i^{++} by inhibiting membrane bound Na^+-Ca^{++} exchanger. *C. L. Fraser and P. Sarnacki* 2169

December Author Index 2174

Correction 2175

Author Index to Volume 86 2177